

# On the conservativity of type theories with classical logic over arithmetic

Pietro Sabelli

*j.w.w.* Michele Contente and Maria Emilia Maietti

Department of Logic  
Institute of Philosophy of the Czech Academy of Sciences

EuroProofNet WG6 meeting  
Genoa, April 2025

# Conservativity

A key notion in the foundations of mathematics is the following.

## Definition

Let  $T$  be a theory. We say that an extension  $T^+$  of  $T$  is *conservative over  $T$*  if every statement expressible in the language of  $T$  and provable in  $T^+$ , is already provable in  $T$ .

# Conservativity

A key notion in the foundations of mathematics is the following.

## Definition

Let  $T$  be a theory. We say that an extension  $T^+$  of  $T$  is *conservative over  $T$*  if every statement expressible in the language of  $T$  and provable in  $T^+$ , is already provable in  $T$ .

## Observation

Conservativity implies equiconsistency.

# Conservativity of Type Theory over Arithmetic

## Theorem (Beeson, 1985)

*The first-order fragment\* of Martin-Löf's type theory  $\mathbf{ML}_0$  is conservative over Heyting Arithmetic  $\mathbf{HA}$ .*

# Conservativity of Type Theory over Arithmetic

## Theorem (Beeson, 1985)

*The first-order fragment\* of Martin-Löf's type theory **ML**<sub>0</sub> is conservative over Heyting Arithmetic **HA**.*

\*meaning without universes but with the axiom  $0 \neq 1$ .

# Conservativity of Type Theory over Arithmetic

## Theorem (Beeson, 1985)

*The first-order fragment\* of Martin-Löf's type theory **ML**<sub>0</sub> is conservative over Heyting Arithmetic **HA**.*

\*meaning without universes but with the axiom  $0 \neq 1$ .

## Theorem (Otten and van den Berg, 2024)

*(An extensional version of) the Calculus of Inductive Constructions **CIC** is conservative over Higher Order Heyting Arithmetic **HAH**.*

# Conservativity of Type Theory over Arithmetic

## Theorem (Beeson, 1985)

*The first-order fragment\* of Martin-Löf's type theory **ML**<sub>0</sub> is conservative over Heyting Arithmetic **HA**.*

\*meaning without universes but with the axiom  $0 \neq 1$ .

## Theorem (Otten and van den Berg, 2024)

*(An extensional version of) the Calculus of Inductive Constructions **CIC** is conservative over Higher Order Heyting Arithmetic **HAH**.*

## Goal

Transfer these results to the case of classical logic – in particular replacing **HA** with Peano Arithmetic **PA**.

# Classical logic in Predicative Foundations

## Issue

The classical version  $\mathbf{ML}_0^c$  of  $\mathbf{ML}_0$  is stronger than  $\mathbf{PA}$  (in fact, even of  $\mathbf{PAH}$ !)



# Classical logic in Predicative Foundations

## Issue

The classical version  $\mathbf{ML}_0^c$  of  $\mathbf{ML}_0$  is stronger than  $\mathbf{PA}$  (in fact, even of  $\mathbf{PAH!}$ )

From a proof-theoretic perspective, classical logic interacts poorly with most predicative foundations, e.g.

- ▶ Homotopy Type Theory
- ▶ Constructive Zermelo-Fraenkel set theory

# Classical logic in Predicative Foundations

## Issue

The classical version  $\mathbf{ML}_0^c$  of  $\mathbf{ML}_0$  is stronger than  $\mathbf{PA}$  (in fact, even of  $\mathbf{PAH!}$ )

From a proof-theoretic perspective, classical logic interacts poorly with most predicative foundations, e.g.

- ▶ Homotopy Type Theory
- ▶ Constructive Zermelo-Fraenkel set theory

If we want to obtain a classical version of Beeson's theorem, we need to replace Martin-Löf's type theory with something more appropriate...

# The Minimalist Foundation

The *Minimalist Foundation* **MF** is a type theory *compatible* with the most relevant foundations of mathematics.

---

M. E. Maietti, G. Sambin. “Toward a minimalist foundation for constructive mathematics”. 2005

M. E. Maietti. “A minimalist two-level foundation for constructive mathematics”. 2009

# The Minimalist Foundation

The *Minimalist Foundation* **MF** is a type theory *compatible* with the most relevant foundations of mathematics.

## Example

- ▶ Martin-Löf's type theory
- ▶ Homotopy Type Theory
- ▶ Calculus of Inductive Constructions
- ▶ Constructive Zermelo-Fraenkel set theory
- ▶ Internal language of toposes

---

M. E. Maietti, G. Sambin. "Toward a minimalist foundation for constructive mathematics". 2005

M. E. Maietti. "A minimalist two-level foundation for constructive mathematics". 2009

# The Minimalist Foundation

The *Minimalist Foundation* **MF** is a type theory *compatible* with the most relevant foundations of mathematics.

## Example

- ▶ Martin-Löf's type theory
- ▶ Homotopy Type Theory
- ▶ Calculus of Inductive Constructions
- ▶ Constructive Zermelo-Fraenkel set theory
- ▶ Internal language of toposes

For what concerns us here, **MF** can be thought of as a *predicative version* of **CIC**.

---

M. E. Maietti, G. Sambin. "Toward a minimalist foundation for constructive mathematics". 2005

M. E. Maietti. "A minimalist two-level foundation for constructive mathematics". 2009

# First-order fragment of the Minimalist Foundation

We consider on the *first-order fragment* **MF**<sub>0</sub> of the Minimalist Foundation – you can think of it as **CIC** without the universe **Prop**.

# First-order fragment of the Minimalist Foundation

We consider on the *first-order fragment* **MF**<sub>0</sub> of the Minimalist Foundation – you can think of it as **CIC** without the universe **Prop**.

## Warning!

In both systems there is *cumulativity* of propositions into types  $prop \hookrightarrow type$ , however...

# First-order fragment of the Minimalist Foundation

We consider on the *first-order fragment* **MF**<sub>0</sub> of the Minimalist Foundation – you can think of it as **CIC** without the universe **Prop**.

## Warning!

In both systems there is *cumulativity* of propositions into types  
 $prop \hookrightarrow type$ , however...  
... a *prop* is not any *type* (as in **ML**),



# First-order fragment of the Minimalist Foundation

We consider on the *first-order fragment* **MF**<sub>0</sub> of the Minimalist Foundation – you can think of it as **CIC** without the universe **Prop**.

## Warning!

In both systems there is *cumulativity* of propositions into types  $prop \hookrightarrow type$ , however...

... a *prop* is not any *type* (as in **ML**),  
is not any mono-type (as in toposes),

# First-order fragment of the Minimalist Foundation

We consider on the *first-order fragment*  $\mathbf{MF}_0$  of the Minimalist Foundation – you can think of it as **CIC** without the universe **Prop**.

## Warning!

In both systems there is *cumulativity* of propositions into types  $prop \hookrightarrow type$ , however...

... a *prop* is not any *type* (as in **ML**),  
is not any mono-type (as in toposes),  
is not any h-prop (as in **HoTT**).

# First-order fragment of the Minimalist Foundation

We consider on the *first-order fragment*  $\mathbf{MF}_0$  of the Minimalist Foundation – you can think of it as **CIC** without the universe **Prop**.

## Warning!

In both systems there is *cumulativity* of propositions into types  $prop \hookrightarrow type$ , however...

... a *prop* is not any *type* (as in **ML**),  
is not any mono-type (as in toposes),  
is not any h-prop (as in **HoTT**).  
A *prop* is a *prop* is a *prop* is a *prop*.

# First-order fragment of the Minimalist Foundation

We consider on the *first-order fragment*  $\mathbf{MF}_0$  of the Minimalist Foundation – you can think of it as **CIC** without the universe **Prop**.

## Warning!

In both systems there is *cumulativity* of propositions into types  $prop \hookrightarrow type$ , however...

... a *prop* is not any *type* (as in **ML**),  
is not any mono-type (as in toposes),  
is not any h-prop (as in **HoTT**).  
A *prop* is a *prop* is a *prop* is a *prop*.

## Corollary (to Beeson's theorem)

$\mathbf{MF}_0$  is conservative over **HA**.

# First-order fragment of the Minimalist Foundation

We consider on the *first-order fragment*  $\mathbf{MF}_0$  of the Minimalist Foundation – you can think of it as **CIC** without the universe **Prop**.

## Warning!

In both systems there is *cumulativity* of propositions into types  $prop \hookrightarrow type$ , however...

... a *prop* is not any *type* (as in **ML**),  
is not any mono-type (as in toposes),  
is not any h-prop (as in **HoTT**).  
A *prop* is a *prop* is a *prop* is a *prop*.


## Corollary (to Beeson's theorem)

$\mathbf{MF}_0$  is conservative over **HA**.

## Idea


We claim that *this* result can be extended to classical logic.

# A cube of theories



- x-axis ( $\rightarrow$ ): add type theory
- y-axis ( $\uparrow$ ): add classical logic
- z-axis ( $\nearrow$ ): add impredicativity

# A cube of theories



- ▶ x-axis ( $\rightarrow$ ): add type theory
- ▶ y-axis ( $\uparrow$ ): add classical logic
- ▶ z-axis ( $\nearrow$ ): add impredicativity

# The Double-Negation Translation

If  $\varphi$  is an arithmetic formula, let  $\varphi^{\mathcal{N}}$  be the formula obtained by prefixing a double-negation  $\neg\neg$  in front of each existential quantifier and each disjunction appearing in  $\varphi$ .



# The Double-Negation Translation

If  $\varphi$  is an arithmetic formula, let  $\varphi^{\mathcal{N}}$  be the formula obtained by prefixing a double-negation  $\neg\neg$  in front of each existential quantifier and each disjunction appearing in  $\varphi$ .

**Theorem (Gödel, 1933)**

**PA**  $\vdash \varphi$  *if and only if* **HA**  $\vdash \varphi^{\mathcal{N}}$ .

# The Double-Negation Translation

If  $\varphi$  is an arithmetic formula, let  $\varphi^{\mathcal{N}}$  be the formula obtained by prefixing a double-negation  $\neg\neg$  in front of each existential quantifier and each disjunction appearing in  $\varphi$ .

Theorem (Gödel, 1933)


**PA**  $\vdash \varphi$  if and only if **HA**  $\vdash \varphi^{\mathcal{N}}$ .

The result is readily extended to higher sorts.

Theorem (Kreisel, 1968)


**PAH**  $\vdash \varphi$  if and only if **HAH**  $\vdash \varphi^{\mathcal{N}}$ .

# A cube of theories




- ▶ x-axis ( $\rightarrow$ ): add type theory
- ▶ y-axis ( $\uparrow$ ): add classical logic
- ▶ z-axis ( $\nearrow$ ): add impredicativity

# A cube of theories



- ▶ x-axis ( $\rightarrow$ ): add type theory
- ▶ y-axis ( $\uparrow$ ): add classical logic
- ▶ z-axis ( $\nearrow$ ): add impredicativity

# A cube of theories



- ▶ x-axis (→): add type theory
- ▶ y-axis (↑): add classical logic
- ▶ z-axis (↗): add impredicativity

# The Challenge

In dependent type theories, logical and set-theoretical constructors are highly intertwined:

- ▶ terms appear in formulas through equality  $a = b$  (as in predicate logic)
- ▶ types appear in formulas as domains of quantification  $(\exists x : A)\varphi(x)$
- ▶ formulas appear in types as in the quotient set constructor  $A/R$
- ▶ formulas appear as terms of a universe  $\varphi : \mathbf{Prop}$ .

...we need to extend the double-negation translation to every entity!

# The double-negation translation for Type Theory

In the case of **MF** and **CIC**, the definition of the translation turns out to be surprisingly simple. The relevant cases are the following.

$$\begin{aligned}(\varphi \vee \psi)^{\mathcal{N}} &\equiv \neg \neg (\varphi^{\mathcal{N}} \vee \psi^{\mathcal{N}}) \\ ((\exists x : A) \varphi)^{\mathcal{N}} &\equiv \neg \neg (\exists x : A^{\mathcal{N}}) \varphi^{\mathcal{N}} \\ \mathbf{Prop}^{\mathcal{N}} &\equiv \sum_{P : \mathbf{Prop}} \neg \neg P \Rightarrow P\end{aligned}$$

# The double-negation translation for Type Theory

In the case of **MF** and **CIC**, the definition of the translation turns out to be surprisingly simple. The relevant cases are the following.

$$\begin{aligned}(\varphi \vee \psi)^{\mathcal{N}} &\equiv \neg \neg (\varphi^{\mathcal{N}} \vee \psi^{\mathcal{N}}) \\ ((\exists x : A) \varphi)^{\mathcal{N}} &\equiv \neg \neg (\exists x : A^{\mathcal{N}}) \varphi^{\mathcal{N}} \\ \mathbf{Prop}^{\mathcal{N}} &\equiv \sum_{P : \mathbf{Prop}} \neg \neg P \Rightarrow P\end{aligned}$$

## Lemma

*For any type  $A$  we have that  $\neg \neg \text{Eq}_{A^{\mathcal{N}}}(x, y) \Rightarrow \text{Eq}_{A^{\mathcal{N}}}(x, y)$  holds.*



# The double-negation translation for Type Theory

In the case of **MF** and **CIC**, the definition of the translation turns out to be surprisingly simple. The relevant cases are the following.

$$\begin{aligned}(\varphi \vee \psi)^{\mathcal{N}} &\equiv \neg\neg(\varphi^{\mathcal{N}} \vee \psi^{\mathcal{N}}) \\ ((\exists x : A)\varphi)^{\mathcal{N}} &\equiv \neg\neg(\exists x : A^{\mathcal{N}})\varphi^{\mathcal{N}} \\ \mathbf{Prop}^{\mathcal{N}} &\equiv \sum_{P : \mathbf{Prop}} \neg\neg P \Rightarrow P\end{aligned}$$

## Lemma

*For any type  $A$  we have that  $\neg\neg \text{Eq}_{A^{\mathcal{N}}}(x, y) \Rightarrow \text{Eq}_{A^{\mathcal{N}}}(x, y)$  holds.*

## Theorem (Maietti, S.)

*A judgment  $\mathcal{J}$  is derivable in **MF**<sup>c</sup> (resp. **CIC**<sup>c</sup>) if and only if  $\mathcal{J}^{\mathcal{N}}$  is derivable in **MF** (resp. **CIC**).*

# Conservativity over Peano Arithmetic

Theorem (Contente, S.)

**MF**<sub>0</sub><sup>c</sup> is conservative over **PA** and **CIC** is conservative over **PAH**.


# Conservativity over Peano Arithmetic

Theorem (Contente, S.)

$\mathbf{MF}_0^c$  is conservative over  $\mathbf{PA}$  and  $\mathbf{CIC}$  is conservative over  $\mathbf{PAH}$ .

Proof.

Let  $\varphi$  be an arithmetical proposition, and assume  $\varphi$  is true in  $\mathbf{MF}_0^c$ .




# Conservativity over Peano Arithmetic

Theorem (Contente, S.)

$\mathbf{MF}_0^c$  is conservative over  $\mathbf{PA}$  and  $\mathbf{CIC}$  is conservative over  $\mathbf{PAH}$ .

Proof.

Let  $\varphi$  be an arithmetical proposition, and assume  $\varphi$  is true in  $\mathbf{MF}_0^c$ .




# Conservativity over Peano Arithmetic

Theorem (Contente, S.)

$\mathbf{MF}_0^c$  is conservative over  $\mathbf{PA}$  and  $\mathbf{CIC}$  is conservative over  $\mathbf{PAH}$ .

Proof.

Let  $\varphi$  be an arithmetical proposition, and assume  $\varphi$  is true in  $\mathbf{MF}_0^c$ .




# Conservativity over Peano Arithmetic

Theorem (Contente, S.)

$\mathbf{MF}_0^c$  is conservative over  $\mathbf{PA}$  and  $\mathbf{CIC}$  is conservative over  $\mathbf{PAH}$ .

Proof.

Let  $\varphi$  be an arithmetical proposition, and assume  $\varphi$  is true in  $\mathbf{MF}_0^c$ .



*Thanks for your attention!*